



- Shop B-1 Karachi Centre  
Shahalam Market, Lahore.
- Shop # 3 Jinnah Market Main  
Boulevard DHA, Lahore.
- Shop # 1 Beacon Road | Mall Rd  
Lahore.
- +92 300 4848328 / +92 322 4125755
- [exxsnledlights](https://www.facebook.com/exxsnledlights)
- [www.houseofexxsn.com](http://www.houseofexxsn.com)

CORPORATE  
**EXXSN**  
Advancement Through Technology



JAB LED HO LAGANA  
EXXSN HI GHAR LANA

# TABLE OF **CONTENT**

**ABOUT US** PAGE 01

**OUR VISION** PAGE 02

**OUR MISSION** PAGE 02

**CORE VALUES** PAGE 03

**CUSTOMER SATISFACTION** PAGE 05

**SOCIAL RESPONSIBILITY** PAGE 05

**INTEGRITY** PAGE 05

**CEO MESSAGE** PAGE 06

**MANUFACTURING FACILITY** PAGE 08

**OUR CLIENTS** PAGE 10

**INDOOR LIGHT** PAGE 11

**HIGH POWER SMD BULBS** PAGE 13

**COB DOWNLIGHT** PAGE 17

**SLIM MILKY PANEL** PAGE 19

**SMD DOWNLIGHT** PAGE 21

**SMD TUBE ROD** PAGE 23

**SMD COB TRACK LIGHT** PAGE 25

**SMD STRIP LIGHT** PAGE 27

**OUT DOOR LIGHT** PAGE 29

**HIGH POWER SMD BULBS** PAGE 31

**STREET LIGHT** PAGE 33



*Experience*  
THE DIFFERENCE

## CORE **VALUES**

Exxsn house of energy conservation is developed by the specialists in the field of energy conservation. The emphasis is to design, develop and manufacture state of the art LED lighting fixtures.

Over the years, Exxsn has continuously modified and enhanced its products and services in order to suit Pakistan's condition and meet customer's technical and aesthetical expectations. Our aim is to provide an innovative and cost effective lighting solutions in Architectural, Industrial and Governmental sectors.

**ENERGY** *efficient,*  
**LONGER** *lasting,*  
& **INSTANTLY** *bright*



03



### **CUSTOMER SATISFACTION:**

At Exxsn, we are driven by the philosophy that whatever we are today or whatever we will be tomorrow is the result of the effort we put in to manufacture our products and services that we offer. But even more than that, we believe our achievement is because of the trust and confidence imposed on us by our customers. Our valued customers are our guiding stars and the pivotal reason for our success, directing us towards our future endeavors and providing us with a place for improvement.



### **SOCIAL RESPONSIBILITY:**


We try hard to help Mother Nature and contributing to economic development while improving the quality of life of the work force as well as of the local community and society at large. We strive to create eco-friendly products and optimize our resources to conserve the environment. Our earnest endeavor is to maximize customer comfort while minimizing environmental and social challenges in the communities where we live and work.



### **INTEGRITY:**

Adhering to moral principles, we share an undivided spirit. This integrity is a virtue that is reflected in our personal lives, financial transactions and business deals.


04



## CEO **MESSAGE**

We offer a wide range of lighting solutions. With a thrust on innovation, our products match international standards in terms of energy-saving, longevity and safety. These products are designed to suit Pakistani conditions. Our mission is to offer cutting edge technology at an affordable price.

Mr. Iftikhar Butt  
CEO EXXSN



## EXCELLENCE **AT EVERYTHING**

Exxsn, ideology is based while emphasizing on respect for the people, creation of new values and contribution towards the society. These values are the inspiration that has brought us this far inspiring us to fulfill our responsibilities in every realm of excellence. It is our endeavor to integrate the capabilities to realize a vibrant Exxsn Group in which every individual brings their potential into full play and contributes to the achievement of growth through creativity and innovation. At Exxsn, we are not just committed towards optimum quality or durability in products. We are aiming towards an overall growth and the fulfillment of the glorious Pakistan Dream.

Mr. Sohail Umer  
CEO EXXSN

## MANUFACTURING **FACILITY**

Our manufacturing operations focus on total quality management, safety, energy conservation and cost control. This has helped in achieving efficiency in the manufacturing function with stringent audits of manufacturing locations that have brought in more focus in quality. The technologies developed and adopted in the plants were absorbed by all the unit locations.





## OUR **CLIENTS**





**FROM CREATING  
PERFECT MOOD TO  
CONNECTING YOUR HOME  
IT'S ALL AT YOUR FINGERTIPS.**

## IN DOOR **LIGHTING**

Given the advances in LED technology, LEDs are becoming brighter and affordable. Studies suggest that by 2020, LED lighting will cater to 75% of the world's illumination needs. LED technology will be the preferred lighting solution for homes and offices by 2025. Exxsn offers the light for every room. The varied range of products helps you to retain the coziness and character of the Room. There are slim LED Panel lighting models available offer a much more modern look than traditional fluorescent lighting.

### OUR PRODUCT FEATURES

- Instant saving
- Designed to provide high quality light
- 3Saves up to 80% energy
- Enhance the ambience of your home
- Brighter and affordable
- Much more modern look than traditional fluorescent lighting.
- Provides light distribution in all directions, through its innovatively designed optics.

## SMD BULBS HIGH POWER


Available in  
7W, 12W, 12.5W  
18W, 25W, 30W  
40W, 50W, 60W

Selling Units:  
Single item  
Single package size:



## FEATURES

Energy saving, compared to traditional energy saving lamp or the condition of same illumination, save up to 70%-80%.  
Green and eco-friendly without mercury, Low noise, no UV and IR in the beam, a safe cold-light source, safe for human.  
Light is soft and uniform, safe to eyes.  
Super long life span up to 50,000hours, ten times to traditional energy-saving lamp.  
Easy installation and conventional use, direct replacement of traditional bulb and low maintenance.



SMD BULB  
7W



SMD BULB  
12.5W



SMD BULB  
18W



SMD BULB  
30W

GOOD QUALITY



SMD BULB  
20W



SMD BULB  
25W



SMD BULB  
50W



SMD BULB  
60W



SMD BULB  
30W




SMD BULB  
40W

#### SPECIFICATIONS

Product Name	Power (Watt)	Input Voltage (V)	Luminous Flux (lm)	CRI (Ra)	Color (K)	Beam Angle	Lifespan (hrs)
Smd Bulb	7	AC 85 - 265 V	320lm	>80	Cool, Warm	200	50,000
Smd Bulb	12	AC 85 - 265 V	420lm	>80	Cool, Warm	200	50,000
Smd Bulb	12.5	AC 85 - 265 V	500lm	>80	Cool, Warm	200	50,000
Smd Bulb	18	AC 85 - 265 V	700lm	>80	Cool, Warm	200	50,000
Smd Bulb	20	AC 85 - 265 V	720lm	>80	Cool, Warm	200	50,000
Smd Bulb	30	AC 85 - 265 V	900lm	>80	Cool, Warm	200	50,000
Smd Bulb	40	AC 85 - 265 V	1000lm	>80	Cool, Warm	200	50,000
Smd Bulb	50	AC 85 - 265 V	1000lm	>80	Cool, Warm	200	50,000
Smd Bulb	60	AC 85 - 265 V	1000lm	>80	Cool, Warm	200	50,000

#### LIGHT DISTRIBUTION



## COB DOWNLIGHT

Available in  
3W, 7W, 12W, 18W

Selling Units:  
Single item  
Single package size:



## FEATURES

Elegant design  
No UV radiation  
No Flickering  
Best Quality LED Chips from companies like CREE & SAMSUNG  
Premium Quality Power Driver with lowest power factor saver & high RA  
Easy Installation  
Varied finishes with strong die cast aluminium body  
Low Maintenance



Energy Smart



COB LIGHT  
3W



COB LIGHT  
7W




COB LIGHT  
12W



COB LIGHT  
18W

## LIGHT DISTRIBUTION




## SPECIFICATIONS

Product Name	Power (Watt)	Input Voltage (V)	Luminous Flux (lm)	CRI (Ra)	Color (K)	Cutting Dia	Beam Angle	Lifespan (hrs)
Cob Downlight	3	AC 85 - 265V	330lm	>80	Cool, Warm	1.5 inch	90	50,000
Cob Downlight	7	AC 85 - 265V	770lm	>80	Cool, Warm	3 inch	90	50,000
Cob Downlight	12	AC 85 - 265V	1100lm	>80	Cool, Warm	3.5 inch	90	50,000
Cob Downlight	18	AC 85 - 265V	1650lm	>80	Cool, Warm	3.75 inch	90	50,000

## SLIM MILKY PANEL

Available in  
6W, 12W,  
18W, 48W



Selling Units:  
Single item  
Single package size:



## FEATURES

Ultra Slim, Contemporary & Elegant Design  
Higher Light Transmission Rate  
Exterior shell, cannot be easily damaged  
No infrared, does not attract flies.  
Easy to install  
No Lead or Mercury content  
Environment friendly  
Dimmable options available in selected models

## LIGHT DISTRIBUTION



SLIM MILKY  
PANEL  
6W



SLIM MILKY  
PANEL  
12W



SLIM MILKY  
PANEL  
18W



SLIM MILKY  
PANEL  
48W

## SPECIFICATIONS

Product Name	Power (Watt)	Input Voltage (V)	Luminous Flux (lm)	CRI (Ra)	Color (K)	Cutting Dia	Beam Angle	Lifespan (hrs)
Slim Milky Panel	6	AC 85 - 265V	480lm	>80	Cool, Warm	4 inch	120	50,000
Slim Milky Panel	12	AC 85 - 265V	960lm	>80	Cool, Warm	6 inch	120	50,000
Slim Milky Panel	18	AC 85 - 265V	1440lm	>80	Cool, Warm	8 inch	120	50,000
Slim Milky Panel	48	AC 85 - 265V	2000lm	>80	Cool, Warm	2ft / 2ft	120	50,000

GOOD QUALITY

## SMD DOWN LIGHT

Available in  
8W, 12W

Selling Units:  
Single item  
Single package size:



### FEATURES

Domestic famous engines , strong driving force by in-built driver , low fuel consumption high economic benefits , reasonable speed configuration and good adaptability Flat floor, hanging pedal, right side control, humanity design, comfortable operation and easy adjustment.

Only 20% power consumption of halogen lamp and incandescent lamp.

Anti-shock, Anti-moisture

No glare, No Strobe Light


Wide voltage design.



DOWN LIGHT  
8W

DOWN LIGHT  
12W

### LIGHT DISTRIBUTION



### SPECIFICATIONS


Product Name	Power (Watt)	Input Voltage (V)	Luminous Flux (lm)	CRI (Ra)	Color (K)	Cutting Dis	Beam Angle	Lifespan (hrs)
Smd Downlight	7	AC 85 - 265 V	700lm	>80	Cool,Warm	3 inch	90	50,000
Smd Downlight	12	AC 85 - 265 V	1200lm	>80	Cool,Warm	3inch	90	50,000
Smd Downlight	12	AC 85 - 265 V	1200lm	>80	Cool,Warm	4 inch	90	50,000

## SMD TUBE ROD

Available in  
30W, 60W

Selling Units:  
Single item  
Single package size:

Less Price



SMD TUBE ROD (2 ft)  
30W



SMD TUBE ROD (4 ft)  
60W

## FEATURES

LED T8 tube with high efficiency and ultra-saving.  
Isolation power supply without safety problem.  
Compact aluminum housing.  
Light without delay, faster response time.  
Aluminum Printed Circuit Board for a better heat dissipation.  
No ultra violet and infrared rays.  
CE, RoHS approval; No UV and IR radiation, No RF interference.



## SPECIFICATIONS

Product Name	Power (Watt)	Input Voltage (V)	Luminous Flux (lm)	CRI (Ra)	Color (K)	Beam Angle	Lifespan (hrs)
Tube Rod	30	AC 85 - 265 V	1720lm	>80	Cool, Warm	120	50,000
Tube Rod	60	AC 85 - 265 V	1720lm	>80	Cool, Warm	120	50,000

## SMD COB TRACK LIGHT

Available in  
30W

Selling Units:  
Single item  
Single package size:



### FEATURES

- Specially designed to focus on objects
- Gives great detail to the object in focus with small beam angle
- Easily adjustable in two directions
- Slide able over track to adjust focus of light according to object's location
- Smart design which gives aesthetic look to the place of use

### SPECIFICATIONS

Product Name	Power (Watt)	Input Voltage (V)	Luminous Flux (lm)	CRI (Ra)	Color (K)	Beam Angle	Lifespan (hrs)
Track Light	30	AC 85 - 265V	3300lm	>80	Cool/Warm	60	50,000

## SMD STRIP LIGHT

Available in:  
Red, Green, Blue  
White, Warm White  
Pink

Selling Units:  
Single item  
Single package size:



### FEATURES

Flexible  
Lengths: 40 to 80 meters (Varies)  
Width: 8mm  
Waterproof  
Working Voltage: 12V DC  
Long lifespan: 50,000 hours (approx)



ALSO AVAILABLE IN DIFFERENT COLORS



RED



GREEN



BLUE



WHITE



WARM WHITE



PINK

### SPECIFICATIONS

Product Name	Input Voltage (V)	Luminous Flux (lm)	CRI (Ra)	Color (K)	Beam Angle	Lifespan (hrs)
Strip Light	AC 85 - 265 V	5050	>80	Cool/Warm	120	50,000



Exxsn High Definition  
Flood lights are an improved  
energy-saving

## OUT DOOR **LIGHTING**

EXXSN outdoor industry lighting is versatile. High surge protection Luminaires are suited for robust environments with IP protection. longer life of LED lighting will cut down the maintenance cost as compared to conventional lighting. Improved optical control ensure better spread of light.

### OUR PRODUCT FEATURES

- Very competitive price with Better quality than others
- Optional lighting source:SMD5630
- The power light can be 10W-400W
- Die-casting of ADC 12 Aluminium alloy in an integrally-form, Beam angle:105°

## SMD FLOOD LIGHTS

Available in  
50W  
100W  
150W

Selling Units:  
Single item  
Single package size:



SMD  
FLOOD LIGHTS  
50W

**BEST QUALITY**



### FEATURES

Modular pluggable technology, tool-free onsite maintenance;  
Honeycomb and whole structure cooling technology, highly efficient heat dissipation;  
Double-coupling IP68 protection, highest waterproof level;  
Flip chip technology, single unit's damage doesn't affect other unit's current;  
Multi-circuit constant current driver, single module hot-pluggable;  
Ergonomic light distribution to achieve uniform illuminating effect;  
Free modular serialization and full power range solution;

### WATER PROOF




SMD  
FLOOD LIGHTS  
100W



SMD  
FLOOD LIGHTS  
150W

### LIGHT DISTRIBUTION



### SPECIFICATIONS

Product Name	Power (Watt)	Input Voltage (V)	Luminous Flux (lm)	CRI (Ra)	Color (K)	Beam Angle	Lifespan (hrs)
Flood Light	50	AC 85 - 265V	1720lm	>80	Cool, Warm	120	50,000
Flood Light	100	AC 85 - 265V	1720lm	>80	Cool, Warm	120	50,000
Flood Light	150	AC 85 - 265V	1720lm	>80	Cool, Warm	120	50,000

## SMD STREET LIGHTS

Available in  
50W, 100W,

Selling Units:  
Single item  
Single package size:



### ENERGY SMART



#### FEATURES

It adopts environmentally-friendly thick aluminum material, which has strong corrosion resistance. The mask is made of high-quality aluminum material and anodized and frosted to reduce light loss and prolong the service life of the lamp.

Strong convection radiator to ensure the service life of the light source.

Imported high-brightness LED lamp bead source, high lumen, long life of light source, up to 50,000 hours.

Widely used in parks, communities, cities, rural road lighting, etc.




SMD  
STREET LIGHTS  
50W



SMD  
STREET LIGHTS  
100W

#### LIGHT DISTRIBUTION




#### SPECIFICATIONS

Product Name	Power (Watt)	Input Voltage (V)	Luminous Flux (lm)	CRI (Ra)	Color (K)	Beam Angle	Lifespan (hrs)
Street Light	50	AC 85 - 265V	500lm	>80	Cool, Warm	120	50,000
Street Light	100	AC 85 - 265V	1000lm	>80	Cool, Warm	120	50,000

## MANUFACTURING **FACILITY**

Our manufacturing operations focus on total quality management, safety, energy conservation and cost control. This has helped in achieving efficiency in the manufacturing function with stringent audits of manufacturing locations that have brought in more focus in quality. The technologies developed and adopted in the plants were absorbed by all the unit locations.



**EXSN**  
CORPORATE  
Advancement Through Technology



JAB LED HO LAGANA  
EXSN HI GHAR LANA

HOUSEOFEXSN.COM

Shop B-1 Karachi Centre  
Shahalam Market, Lahore.

+92 300 4848328  
+92 322 4125755



exsnledlights



www.houseofexsn.com

PRODUCT  
CATALOGUE